

BAKERTOP MIND.Map<sup>TM</sup>



# PASTRY-MAKING & BAKERY

**LONG**Life4!

Spare parts 4 years / 10.000 hours optional warranty\*





**COOKING QUALITY, PRECISION, RELIABILITY.**

## The ingredients of your success.

Baking is an exact science in which nothing can be left to chance. Each ingredient counts, every ounce has an impact, every secret is jealously kept. And your touch of brilliance makes the difference.

BAKERTOP MIND.Maps™ easily fits every requirement to enable you to express your creativity with no restrictions. Technology designed for you, invented to help you build your success.

Technology that becomes Intelligence: thanks to the exclusive and patented ADAPTIVE.Cooking™ mode, BAKERTOP MIND.Maps™ understands the result that you have in mind, interprets your settings, registers the variations of temperature and humidity, understands the quantity of food that is in the oven and optimizes the cooking process to achieve exactly the results that you expect.

BAKERTOP MIND.Maps™ is not just an oven, but a set of solutions: convection oven, steam oven, static oven, proofer and resting stand. Allowing you to build the right solution for you.

# VERSATILITY.

UNOX Solutions for Pastry-making and Bakery.

	16 600X400	10 600X400 + PROOFER	6 600X400 + DECKTOP + PROOFER	4+ 4 600X400 + PROOFER	6 600X400 + STAND + PROOFER	4 600X400 + DECKTOP + PROOFER
						
	<b>XEBC-16EU-EPR</b>	<b>XEBC-10EU-EPR</b>	<b>XEBC-06EU-EPR</b>	<b>XEBC-04EU-EPR</b>	<b>XEBC-06EU-EPR</b>	<b>XEBC-04EU-EPR</b>
Capacity	16 600x400	10 600x400	6 600x400	4 600x400	6 600x400	4 600x400
Pitch	80 mm	80 mm	80 mm	80 mm	80 mm	80 mm
Frequency	50 / 60 Hz	50 / 60 Hz	50 / 60 Hz	50 / 60 Hz	50 / 60 Hz	50 / 60 Hz
Voltage	400 V - 3N	400 V - 3N	400 V - 3N	400 V - 3N	400 V - 3N	400 V - 3N
Electrical power	35 kW	21 kW	14 kW	10,6 kW	14 kW	10,6 kW
Dimensions (WxDxH mm)	882x1043x1866	860x957x1163	860x957x843	860x957x675	860x957x843	860x957x675
Weight	185 kg	130 kg	100 kg	85 kg	100 kg	85 kg
Stacking kit*	-	-	XUC062	XEAQC-00E2-E	-	XUC062
		<b>XEBPC-12EU-C</b>	<b>XEBDC-01EU-C</b> <b>XEBPC-12EU-C</b>	<b>XEBC-04EU-EPR</b> <b>XEBPC-08EU-C</b>	<b>XEBIC-03EU</b> <b>XEBPC-12EU-C</b>	<b>XEBDC-01EU-C</b> <b>XEBPC-12EU-C</b>
Capacity		12 600x400	1 600x400   12 600x400	4 600x400   8 600x400	3 600x400   12 600x400	1 600x400   12 600x400
Pitch		75 mm	-   75 mm	80 mm   75 mm	-   75 mm	-   75 mm
Frequency		50 / 60 Hz	50 / 60 Hz   50 / 60 Hz	50 / 60 Hz   50 / 60 Hz	-   50 / 60 Hz	50 / 60 Hz   50 / 60 Hz
Voltage		230 V - 1N	230 V - 1N   230 V - 1N	400 V - 3N   230 V - 1N	-   230 V - 1N	230 V - 1N   230 V - 1N
Electrical power		2,4 kW	2,7 kW   2,4 kW	10,6 kW   2,4 kW	-   2,4 kW	2,7 kW   2,4 kW
Dimensions (WxDxH mm)		862x890x762	860x880x400   862x890x762	860x957x675   862x890x623	860x817x309   862x890x762	860x880x400   862x890x762
Weight		45 kg	62 kg   45 kg	85 kg   42 kg	20 kg   45 kg	62 kg   45 kg
Floor stand*	-	-	-	-	-	-
						

\* Mandatory

## TASTY AND CRISPY.

### DECKTOP. The modern static oven.

UNOX DECKTOP ovens are unique in their category. They have been designed to maximize the advantages of modern ovens while remaining loyal to the traditions of stone deck oven baking.

The special baking chamber is characterized by a stone baking surface that allows a vast range of cakes and bread to be baked, preserving the integrity of the dough and guaranteeing impeccable results. DECKTOP ovens also allow both the introduction of humidity inside the cooking chamber and the automatic extraction of it when needed.

The static DECKTOP ovens, when combined with BAKERTOP MIND.Maps™, represent the ideal solution for those who want traditional and modern cooking techniques in one unique column providing maximum versatility and space optimization.



**DECKTOP**  
With BakerTouch integrated control  
Capacity: 2 600x400 - Voltage: 400 V- 3N  
Frequency: 50 / 60 Hz - Electrical power: 5,7 kW  
Dimensions: 860x1150x400 WxDxH mm - Weight: 100 Kg

**Art.: XEBDC-02EU-D**



**DECKTOP**  
With BakerTouch integrated control  
Capacity: 1 600x400 - Voltage: 230 V- 1N  
Frequency: 50 / 60 Hz - Electrical power: 2,7 kW  
Dimensions: 860x880x400 WxDxH mm - Weight: 62 Kg

**Art.: XEBDC-01EU-D**



**DECKTOP**  
Digitally controlled only by the MASTER.Touch control  
Capacity: 2 600x400 - Voltage: 400 V- 3N  
Frequency: 50 / 60 Hz - Electrical power: 5,7 kW  
Dimensions: 860x1150x400 WxDxH mm - Weight: 100 Kg

**Art.: XEBDC-02EU-C**



**DECKTOP**  
Digitally controlled only by the MASTER.Touch control  
Capacity: 1 600x400 - Voltage: 230 V- 1N  
Frequency: 50 / 60 Hz - Electrical power: 2,7 kW  
Dimensions: 860x880x400 WxDxH mm - Weight: 62 Kg

**Art.: XEBDC-01EU-C**



**BAKERTOP MIND.Maps™**  
Link to baking tutorial videos



INVENTIVE SIMPLIFICATION



**INTERNATIONAL**

**UNOX S.p.A.**

Via Majorana 22 / 35010 Cadoneghe (PD) Italy  
Tel +39 049 8657511 / Fax +39 049 8657555  
[info@unox.com](mailto:info@unox.com)

**EUROPE**

**ITALY**

**UNOX S.p.A.**  
E-mail: [info@unox.it](mailto:info@unox.it)  
Tel.: +39 049 86 57 513

**TURKEY**

**UNOX TURKEY**  
E-mail: [info.tr@unox.com](mailto:info.tr@unox.com)  
Tel.: +90 530 176 62 03

**CZECH REPUBLIC**

**UNOX DISTRIBUTION s.r.o.**  
E-mail: [info.cz@unox.com](mailto:info.cz@unox.com)  
Tel.: +420 241 940 000

**UNITED KINGDOM**

**UNOX UK Ltd**  
E-mail: [info@unoxuk.com](mailto:info@unoxuk.com)  
Tel.: +44 1252 851 522

**GERMANY**

**DUEX HANDELS GMBH**  
E-mail: [info@unox-oefen.de](mailto:info@unox-oefen.de)  
Tel.: +49 2951 98760

**PORTUGAL**

**UNOX PORTUGAL**  
E-mail: [info.pt@unox.com](mailto:info.pt@unox.com)  
Tel.: +351 918 228 787

**RUSSIAN COUNTRIES**

**UNOX RUSSIAN COUNTRIES**  
E-mail: [info.ru@unox.com](mailto:info.ru@unox.com)  
Tel.: +7 985 33 77 597  
+7 915 397 48 38

**SPAIN**

**UNOX PROFESIONAL ESPAÑA S.L.**  
E-mail: [info.es@unox.com](mailto:info.es@unox.com)  
Tel.: +34 900 82 89 43

**FRANCE**

**UNOX FRANCE s.a.s.**  
E-mail: [info@unox.fr](mailto:info@unox.fr)  
Tel.: +33 4 78 17 35 39

**SCANDINAVIAN COUNTRIES**

**UNOX SCANDINAVIAN COUNTRIES**  
E-mail: [info.se@unox.com](mailto:info.se@unox.com)  
Tel.: +46 (0)768 716 422

**AMERICA**

**U.S.A. & CANADA**

**UNOX INC.**  
E-mail: [infousa@unox.com](mailto:infousa@unox.com)  
Tel.: +1 800 489 8669

**MEXICO**

**UNOX MEXICO**  
E-mail: [info.mx@unox.com](mailto:info.mx@unox.com)  
Tel.: +52 1555 4314 180

**ASIA**

**ASIA PACIFIC COUNTRIES**

**UNOX (ASIA) SDN. BHD**  
E-mail: [info.asia@unox.com](mailto:info.asia@unox.com)  
Tel.: +603-58797700

**REPUBLIC OF SOUTH KOREA**

**UNOX SOUTH KOREA**  
E-mail: [info.asia@unox.com](mailto:info.asia@unox.com)  
Tel.: +82 10 4354 2856

**PHILIPPINES**

**UNOX PHILIPPINES**  
E-mail: [info.asia@unox.com](mailto:info.asia@unox.com)  
Tel.: +63 998 541 3990

**U.A.E.**

**UNOX MIDDLE EAST DMCC**  
E-mail: [info.uae@unox.com](mailto:info.uae@unox.com)  
Tel.: +971 55 426 3167

**AFRICA**

**SOUTH AFRICA**

**UNOX SOUTH AFRICA**  
E-mail: [info.sa@unox.com](mailto:info.sa@unox.com)  
Tel.: +27 845 05 52 35

**OCEANIA**

**AUSTRALIA**

**UNOX AUSTRALIA PTY LTD.**  
E-mail: [info@unoxaustralia.com.au](mailto:info@unoxaustralia.com.au)  
Tel.: +61 3 9876 0803

Printed: 10-2015  
All images used are for illustrative purposes only.  
All data indicated in this catalogue is subject to change and may be updated without notice.

[www.unox.com](http://www.unox.com)

